

## DOPRAVNÝ ÚRAD TRANSPORT AUTHORITY

DÚ/F052-B/v10/OPL

In accordance with Appendix 9 of the Commission Reg. (EU) No. 1178/2011

APPLICATION AND REPORT FORM

ATPL(A), MPL, Training, Skill Test and Proficiency Check for  Multi-pilot Aeroplanes and Single-pilot High-Performance Complex Aeroplanes							
Applicant's Last Name:				s First Name			
Type and No. of Licence Held:			Type of tes	st: Skill	test: Proficiency check:		
State of licence issue:			MPL skill t	est: YES:	NO:		
ATPL skill test: YES: NO:			MP Operation: YES: NO:				
SP Operation: YES: NO:				PIC:	Co-pilot:		
Aeroplane type:			PBN:	YES:	NO:		
Medical certificate (class according to the p	oilot licence):		IR: YES: NO:				
Class: Valid till	:		Signature o	f applicant:			
1 Theoretical training for the issu	ue of a type or cla	ass rating p	erformed d	luring perio	od:		
From: / To:	PASS		FAIL		% (Pass mark 75%): %		
Name of ATO:	Name of I	HT:(in capi	tal letters)		Signature of HT:		
2 Training on FSTD							
FSTD (aeroplane type):	Three or n	nore axes: Y	es / N	res / No Ready for service and used:			
FSTD manufacturer: Motion or system:				Visual aid: Yes / No			
FSTD operator:					FSTD ID code:		
Total training time at the controls:			Instrument approaches at aerodromes to a decision altitude or height of:				
Location, date and time:			Name of ATO:				
TRI / CRI / SFI			Type and number of licence (instructor):				
Name of instructor (in capital letters):			Signature of instructor:				
3 Flight training:	Aeroplane				FSTD (for ZFTT)		
Type of aeroplane:	Registration:		Flight time	e at the contr	ols:		
Take-offs:	Landings:			erodromes o			
Take off time: (only for take-off and landing training)			(take-offs, approaches and landings)  Landing time: (only for take-off and landing training)				
Location and date:			Name of ATO / AOC holder:				
Type and number of licence (inst.):			Type rating instructor / Class rating instructor				
Name of instructor (in capital letters):			Signature of instructor:				

					No.	of Licence H	eld					
4	SkillTest	(initial issue)	Proficiency	y Check 1	Reval	lidation	Pro	ficiency	Check Re	enev	wal	
Type of Aeroplane and registration: FSTD ID Code:												
Aeı	odrome or site:	Departure time:	Arrival ti	ime:		Flight Time:		Route:				
	PAS S ED	<u> </u>	1	2		3		4 5 Section MPO/SPO				
F - FAILED												
	SSED		PARTIALLY	Y PASSE	D			FAIL	ED			
Reas	son(s) why, if failed	<b>:</b>										
In co	ase of a partially po	assed or failed exam	an examiner s	hall fill ii	n the	form <b>F097-B</b>	EXAN	MINER I	REPORT -	- FA	ILURE OF TEST	
Rat	ing:		Original val	idity unt	il:			New r	rating valid	l to:		
FC	L.625.A b) Cross-cr	redit shall be given in	accordance v	vith App	endix	x 8 to Part FCI	J:					
Rat	ing: IR/SPA/SE				Ne	w rating valid	to:					
	-		-				ed the	relevan	t national p	proc	cedures and requirements of	
the	Transport Authorit	y contained in Exami	ner Difference	es Docur	nent	version:						
Dat	e and location:											
Exa	miner's certificate	number:			Ty	pe and number	of lie	cence:				
Sign	nature of examiner:				Naı	me in capital l	etters	:				
	nature of applicant	:										
5	Revalidatio	on - flight experienc	e for the reva	lidation	of ra	ting						
Nar OR	ne of AOC holder i	f combined with OPO	C:									
10 ı	oute sectors as pilo	t of the relevant type ot of the relevant typ	; a afaaran lana	or EEC f	Journ	with a TDE/S	EE					
		be flown during the p			iowii	Willia TRE/S	FE					
6	Confirmatio	on of the renewal tra	nining by the	training	gorga	nnisation		- fill	in only in	cas	e of renewal	
	s is to certify, that t lls for the rating re-		was performed	d in comp	olianc	ce with Part-F	CL ar	nd the a	pplicant re	gair	n all relevant knowledge and	
	me of training organ	nisation:			From (Date):							
Ap	proval No.:					To (Date	e):					
Sig	nature of Head of T	Training:										
7	Additional r	emarks										
							Signa	ture of e	examiner:			

		No. of Liceno	e Held			
MUI	LTI-PILOT AEROPLANES AND SINGLE-PILOT HIGH-PERFORMANCE COMPLEX AEROPLANES	PRAC	TICAL TRA	AINING	ATPL/MPL/TYPE RATING SKILL TEST OR PROF. CHECK	
	Manoeuvres / Procedures	FSTD	A	Instructor initials when training completed	Tested and checked in FSTD or A	Examiner initials when test or check completed
SECTION			1			
1 1.1	Flight preparation Performance calculation	OTD P				
1.2	Aeroplane external visual inspection; location of each item and purpose of inspection	OTD P#	P			
1.3	Cockpit inspection	P>	>			
1.4	Use of checklist prior to starting engines, starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies	P>	>		M	
1.5	Taxiing in compliance with ATC instructions or instructions of instructor	P>	>			
1.6	Before take-off checks	P>	>		M	
SECTION	ON 2			·		
2 2.1	Take-offs Normal take-offs with different flap settings, including expedited take-off	P>	>			
2.2*	Instrument take-off; transition to instrument flight is required during rotation or immediately after becoming airborne	P>	>			
2.3	Crosswind take-off	P>	>			
2.4	Take-off at maximum take-off mass (actual or simulated maximum take-off mass)	P>	>			
2.5 2.5.1*	Take-offs with simulated engine failure: shortly after reaching V2	P>	>			
reaching	lanes which are not certificated as transport category or cong a minimum height of 500 ft above the runway end. In aerog take-off mass and density altitude, the instructor may sim	planes having	the same perf	formance as a tra	ansport category	
2.5.2*	between V1 and V2	P	X		M FFS only	
2.6	Rejected take-off at a reasonable speed before reaching V1	P>	>		M	
SECTION	ON 3					
3 3.1	Flight manoeuvres and procedures Manual flight with and without flight directors (no autopilot, no autothrust/autothrottle, and at different control laws, where applicable)	P>	>			
3.1.1	At different speeds (including slow flight) and altitudes within the FSTD training envelope	P>	>			
3.1.2	Steep turns using 45° bank, 180° to 360° left and right	P>	>			
3.1.3	Turns with and without spoilers	P>	>			
3.1.4	Procedural instrument flying and manoeuvring including instrument departure and arrival, and visual approach	P>	>			
3.2	Tuck under and Mach buffets (if applicable), and other specific flight characteristics of the aeroplane (e.g. Dutch Roll)	P>	An aeroplane shall not be used for this exercise		FFS only	
3.3	Normal operation of systems and controls engineer's panel (if applicable)	OTD P>	>			

		No. of Licen	ce Held			
MULTI-PILOT AEROPLANES AND SINGLE-PILOT HIGH-PERFORMANCE COMPLEX AEROPLANES		PRAC	TICAL TRA	INING	ATPL/MPL/TYPE RATING SKILL TEST OR PROF. CHECK	
	Manoeuvres / Procedures	FSTD	A	Instructor initials when training completed	Tested and checked in FSTD or A	Examiner initials when test or check completed
3.4	Normal and abnormal operations of following systems:				М	A mandatory minimum of 3 abnormal items shall be selected from 3.4.0 to 3.4.14 inclusive
3.4.0	Engine (if necessary propeller)	OTD P>	>			
3.4.1	Pressurisation and air conditioning	OTD P>	>			
3.4.2	Pitot/static system	OTD P>	>			
3.4.3	Fuel system	OTD P>	>			
3.4.4	Electrical system	OTD P>	>			
3.4.5	Hydraulic system	OTD P>	>			
3.4.6	Flight control and trim system	OTD P>	>			
3.4.7	Anti-icing/de-icing system, glare shield heating	OTD P>				
3.4.8	Autopilot/flight director	OTD P>			M (single pilot only)	
3.4.9	Stall warning devices or stall avoidance devices, and stability augmentation devices	OTD P>				
3.4.10	Ground proximity warning system, weather radar, radio altimeter, transponder	P>				
3.4.11	Radios, navigation equipment, instruments, FMS	OTD P>				
3.4.12	Landing gear and brake	OTD P>	>			
3.4.13	Slat and flap system	OTD	>			
3.4.14	Auxiliary power unit (APU)	OTD P>	>			
3.5	Intentionally left blank					
3.6	Abnormal and emergency procedures:				М	A mandatory minimum of 3 items shall be selected from 3.6.1 to 3.6.9 inclusive
3.6.1	Fire drills, e.g. engine, APU, cabin, cargo compartment, flight deck, wing and electrical fires including evacuation	P>	>			
3.6.2	Smoke control and removal	P>	>			
3.6.3	Engine failures, shutdown and restart at a safe height	P>	>			
3.6.4	Fuel dumping (simulated)	P>	>			
3.6.5	Wind shear at take-off/landing	P	X		FFS only	
3.6.6	Simulated cabin pressure failure/emergency descent	P>	>			

		No. of Licence	e Held			
MUL	TI-PILOT AEROPLANES AND SINGLE-PILOT HIGH-PERFORMANCE COMPLEX AEROPLANES	PRAC'	ΓICAL TRA	INING	ATPL/MPL/TYPE RATING SKILL TEST OR PROF. CHECK	
	Manoeuvres / Procedures	FSTD	A	Instructor initials when training completed	Tested and checked in FSTD or A	Examiner initials when test or check completed
3.6.7	Incapacitation of flight crew member	P>	>			
3.6.8	Other emergency procedures as outlined in the appropriate aeroplane flight manual (AFM)	P>	>			
3.6.9	TCAS event	OTD P>	An aeroplane shall not be used		FFS only	
3.7 3.7.1	Upset recovery training Recovery from stall events in:  - take-off configuration;  - clean configuration at low altitude;  - clean configuration near maximum operating altitude; and  - landing configuration.	P FFS qualified for the training task only	X An aeroplane shall not be used for this exercise			
3.7.2	The following up set exercises:  - recovery from nose-high at various bank angles; and  - recovery from nose-low at various bank angles	P FFS qualified for the training task only	X An aeroplane shall not be used for this exercise		FFS only	
3.8	Instrument flight procedures					
3.8.1*	Adherence to departure and arrival routes and ATC instructions	P>	>		М	
3.8.2*	Holding procedures	P>	>			
3.8.3*	3D operations to DH/A of 200 ft (60 m) or to higher minima if required by the approach procedure					
	cording to the AFM, RNP APCH procedures may require chosen taking into account such limitations (for example, or					
	Manually, without flight director	P>	>	e case of sacri	M (skill test only)	<i>).</i>
3.8.3.2*	Manually, with flight director	P>	>			
3.8.3.3*	With autopilot	P>	>			
during fir complete (i) before (ii) after In aeroplace (SFAR 2 ensuing g approach initiated height/alt MDH/A aeroplane aeroplane	Manually, with one engine simulated inoperative hal approach, either until touchdown or through the emissed approach procedure (as applicable), starting: a passing 1 000 ft above aerodrome level; and passing 1 000 ft above aerodrome level.  anes which are not certificated as transport category es (JAR/FAR 25) or as commuter category aeroplanes 3), the approach with simulated engine failure and the go-around shall be initiated in conjunction with the 2D in accordance with 3.8.4. The go-around shall be when reaching the published obstacle clearance itude (OCH/A); however, not later than reaching an of 500 ft above the runway threshold elevation. In es having the same performance as a transport category e regarding take-off mass and density altitude, the r may simulate the engine failure in accordance with 3.8.3.4.	P>	>		М	
3.8.4*	2D operations down to the MDH/A	P*>	>		M	
3.8.5 (a)*appro	Circling approach under the following conditions: oach to the authorised minimum circling approach	P*>	>			

		No. of Licen	ce Held			
MU	LTI-PILOT AEROPLANES AND SINGLE-PILOT HIGH-PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING			ATPL/MPL/TYPE RATING SKILL TEST OR PROF. CHECK	
	Manoeuvres / Procedures	FSTD	A	Instructor initials when training completed	Tested and checked in FSTD or A	Examiner initials when test or check completed
altitude at the aerodrome in question in accordance with the local instrument approach facilities in simulated instrument flight conditions; followed by:  (b) circling approach to another runway at least 90° off centreline from the final approach used in item (a), at the authorised minimum circling approach altitude.  Remark: If (a) and (b) are not possible due to ATC reasons, a simulated low visibility pattern may be performed.						
3.8.6	Visual approaches	P>	>			
SECTI	ION 4	T	1	1	1	1
4	Missed approach procedures	P*>	>			
4.1	Go-around with all engines operating* during a 3D operation on reaching decision height	P*>	>			
4.2	Go-around with all engines operating* from various stages during an instrument approach	P*>	>			
4.3	Other missed approach procedures	P*>	>			
4.4*	M anual go-around with the critical engine simulated inoperative after an instrument approach on reaching DH, MDH or MAPt	P*>	>		M	
4.5	Rejected landing with all engines operating:  — from various heights below DH/MDH;  — after touchdown (baulked landing)  In aeroplanes which are not certificated as transport category aeroplanes (JAR/FAR 25) or as commuter category aeroplanes (SFAR 23), the rejected landing with all engines operating shall be initiated below MDH/A or after touchdown.	P>	>			
SECTI	ION 5					
5 5.1	Landings Normal landings* with visual reference established when reaching DA/H following an instrument approach operation	P				
5.2	Landing with simulated jammed horizontal stabiliser in any out-of-trim position	P>	An aeroplane shall not be used for this exercise		FFS only	
5.3	Crosswind landings (aeroplane, if practicable)	P>	>			
5.4	Traffic pattern and landing without extended or with partly extended flaps and slats	P>	>			
5.5	Landing with critical engine simulated inoperative	P>	>		M	
5.6	Landing with two engines inoperative:  - aeroplanes with three engines: the centre engine and one outboard engine as far as practicable according to data of the AFM; and - aeroplanes with four engines: two engines at one side	P	X		M FFS only (skill test only)	
Remark	ss:					

## Symbols meaning:

\* the starred items shall be flown solely by reference to instruments.

P Trained as PIC or co-pilot and as PF and PM for the issue of a type rating as applicable.

**OTD** Other training devices may be used for this exercise.

X An FFS shall be used for this exercise; otherwise, an aeroplane shall be used if appropriate for the manoeuvre or procedure.

**P#** The training shall be complemented by supervised aeroplane inspection.

M Where the letter 'M' appears in the skill test or proficiency check column, this will indicate a mandatory exercise or a choice where more than one exercise appears.

The practical training shall be conducted at least at the training equipment level shown as (P), or may be conducted up to any higher equipment level shown by the arrow (--->). The following abbreviations are used to indicate the training equipment used:

A aeroplane

FFS full-flight simulator

FSTD flight simulator training device.

Manoeuvres and procedures shall include MCC for multi-pilot aeroplane and for single-pilot high-performance complex aeroplanes in multi-pilot operations. Manoeuvres and procedures shall be conducted in single-pilot role for single-pilot high-performance complex aeroplanes in single-pilot operations.

In the case of single-pilot high-performance complex aeroplanes, when a skill test or proficiency check is performed in multi-pilot operations, the type rating shall be restricted to multi-pilot operations. If privileges of single-pilot are sought, the manoeuvres/procedures in 2.5, 3.8.3.4, 4.4, 5.5 and at least one manoeuvre/procedure from Section 3.4 have to be completed in addition as single-pilot.

In the case of a restricted type rating issued in accordance with FCL.720.A(c), applicants shall fulfil the same requirements as other applicants for the type rating except for the practical exercises relating to the take-off and landing phases.

To establish or maintain PBN privileges, one approach shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FST D.

By way of derogation from the paragraph above, in cases where a proficiency check for revalidation of PBN privileges does not include an RNP APCH exercise, the PBN privileges of the pilot shall not include RNP APCH. The restriction shall be lifted if the pilot has completed a proficiency check including an RNP APCH exercise.